

Lincoln “L”Type Couplers & Plugs

1/4" NPT L style plugs are case hardened steel plated to resist rust and have a working pressure of up to 300 PSI. 1/4" basic flow size with air flow of 32 SCFM.

1/4" NPT L style coupler is steel plated to resist rust. L style couplers have a 1/4" basic flow size and a maximum pressure of 300 PSI. This push type coupler has a Maximum of 32 SCFM and a Buna-N seal.

Features

Coupler

- Solid Heavy-Duty Construction with Ball Locking Mechanism
- Nitrile Seals for optimum performance in extreme temperatures
- Lincoln / L-Style Interchange - Adapts to all Lincoln/ L-Style plugs/nipples.
Deep Knurled socket sleeve for positive gripping
- 1/4" Body Size

Plug

- Solid Heavy-Duty Construction
- Optimal sealing and high efficiency with LOCTITE sealant on threads
- Lincoln / L-Style Interchange - Adapts to all Lincoln/ L-Style Couplers
- 1/4" Body Size



Variations

Coupler

Part No.	Description	NPT	SCFM	Material	Package Dimensions L x W x H (Inch)	Package Weight (Pounds)
CI1401	1/4" MNPT Brass Male Industrial Coupler - 1/4 I/M	1/4	35	Brass	x x	
CI1407	1/4" MNPT Steel Male Industrial Coupler - 1/4 I/M	1/4	35	Steel	x x	
CI1408	1/4" FNPT Steel Female Industrial Coupler - 1/4 I/M	1/4	35	Steel	x x	
CI1409	1/4" MNPT Steel Male Industrial Coupler - Swivel - 1/4 I/M	1/4	35	Steel	x x	
CL1401	1/4" MNPT Brass Male Lincoln Coupler - 1/4 L	1/4	35	Brass	x x	
CL1402	1/4" FNPT Brass Female Lincoln Coupler - 1/4 L	1/4	35	Brass	x x	
CL1403	1/4" MNPT Brass Male Lincoln Coupler - Swivel - 1/4 L	1/4	35	Brass	x x	
CL1404	1/4" FNPT Brass Female Lincoln Coupler - Swivel - 1/4 L	1/4	35	Brass	x x	
CL1405	3/8" MNPT Brass Male Lincoln Coupler - 1/4 L	3/8	35	Brass	x x	

Part No.	Description	NPT	SCFM	Material	Package Dimensions L x W x H (Inch)	Package Weight (Pounds)
CL1406	3/8" FNPT Brass Female Lincoln Coupler - 1/4 L	3/8	35	Brass	x x	
CL1407	1/4" MNPT Steel Male Lincoln Coupler - 1/4 L	1/4	35	Steel	x x	
CL1408	1/4" FNPT Steel Female Lincoln Coupler - 1/4 L	1/4	35	Steel	x x	
CL1409	1/4" MNPT Steel Male Lincoln Coupler - Swivel - 1/4 L	1/4	35	Brass	x x	
CL1410	1/4" FNPT Steel Female Lincoln Coupler - Swivel - 1/4 L	1/4	35	Steel	x x	
CL1411	3/8" MNPT Steel Male Lincoln Coupler - 1/4 L	3/8	35	Steel	x x	
CL1412	3/8" FNPT Steel Female Lincoln Coupler - 1/4 L	3/8	35	Steel	x x	

Part No.	Description	NPT	SCFM	Material	Package Dimensions L x W x H (Inch)	Package Weight (Pounds)
CI1402	1/4" FNPT Brass Female Industrial Coupler - 1/4 I/M	1/4	35	Brass	x x	
CI1403	1/4" MNPT Brass Male Industrial Coupler - Swivel - 1/4 I/M	1/4	35	Brass	x x	

Plug

Part No.	Description	NPT	SCFM	Material	Package Dimensions L x W x H (Inch)	Package Weight (Pounds)
PL1401	1/4" MNPT Brass Male Lincoln Plug - 1/4 L	1/4	35	Brass	x x	
PL1402	1/4" FNPT Brass Female Lincoln Plug - 1/4 L	1/4	35	Brass	x x	
PL1403	1/4" MNPT Brass Male Lincoln Plug - Swivel - 1/4 L	1/4	35	Brass	x x	
PL1404	1/4" FNPT Brass Female Lincoln Plug - Swivel - 1/4 L	1/4	35	Brass	x x	
PL1405	3/8" MNPT Brass Male Lincoln Plug - 1/4 L	3/8	35	Brass	x x	
PL1406	3/8" FNPT Brass Female Lincoln Plug - 1/4 L	3/8	35	Brass	x x	
PL1407	1/4" MNPT Steel Male Lincoln Plug - 1/4 L	1/4	35	Steel	x x	
PL1408	1/4" FNPT Steel Female Lincoln Plug - 1/4 L	1/4	35	Steel	x x	
PL1409	1/4" MNPT Steel Male Lincoln Plug - Swivel - 1/4 L	1/4	35	Steel	x x	
PL1410	1/4" FNPT Steel Female Lincoln Plug - Swivel - 1/4 L	1/4	35	Steel	x x	

Part No.	Description	NPT	SCFM	Material	Package Dimensions L x W x H (Inch)	Package Weight (Pounds)
PL1411	3/8" MNPT Steel Male Lincoln Plug - 1/4 L	3/8	35	Steel	x x	
PL1412	3/8" FNPT Steel Female Lincoln Plug - 1/4 L	3/8	35	Steel	x x	

Product Images



This PDF was downloaded from the following URL
<https://www.rmwind.com/coupler/lincoln-ltype-couplers/?®ion=north-america>
 on Thursday, 03 April 2025

Scan QR Code on the right to access this URL in the browser.

