

## AG-Lite Rubber Water Hoses

RMX Industries has revolutionised how a rubber water hose is made. Traditionally made rubber water hoses are stiff and heavy. Made from 100% rubber, our Ag-Lite hose is the lightest, strongest, most flexible rubber hose ever made. Primarily made for the farm and ag market this hose can also be used and is perfect anywhere where hot water is used.

### Features

- 10 year limited warranty
- 100% rubber construction
- 40% lighter water hose than standard rubber water hose
- 3/4" GHT plated brass fittings
- High strength polyester woven braided reinforcement
- 500 PSI minimum burst pressure
- 3:1 Safety factor
- Handles hot water up to 212°F.
- Maintains integrity under extreme weather conditions
- Flexibility from -50° F to +190° F.
- Ozone resistant
- Abrasion resistant
- Kink Resistant
- 4 finger grip bend restrictor for better use & easier control over the hose.



Suitable for Lawn & Garden and Professional use

**500 PSI**

Minimum Burst Pressure

**10 Year**

Warranty

**-50° to 190°F**

Temperature Range

**212° F**

Hot Water Flexibility

### Features at a glance



#### 40% Lighter

40% Lighter than other Rubber Water Hoses which helps in effortless coiling of hose & ease of handling in working & house hold environment.



#### Four finger grip bend restrictor

AG-Lite rubber water hose comes with four finger grip bend restrictor which increase the working efficiency of user. It reduce bending stress near the hose-coupling junction & prevent it from kinks.



#### High strength polyester braided reinforcement.

High strength polyester braided reinforcement construction to prevent elongation of hose. Industrial thread and yarn add superior strength & provides 500 PSI Burst pressure with 4:1 safety factor.



### Temperature Flexibility

Utmost hot & cold environments are a challenge for all rubber hoses but AG-Lite rubber water hose handle hot water upto 212°F & cold weather temperature upto -50°F.

## Variations

### Lead-in Water Hose

Part No.	Inner Diameter (Inch)	Length (Feet)	Fittings (Inch)	Package Dimensions L x W x H (Inch)	Package Weight (Pounds)
BSAL3403	3/4	3	3/4 GHT	3.00 x 11.00 x 11.00	1.650
BSAL3406	3/4	6	3/4 GHT	3.00 x x	1.650
BSAL5803	5/8	3	3/4 GHT	9.75 x 9.75 x 2.00	1.000
BSAL5806	5/8	6	3/4 GHT	10.50 x 10.50 x 2.00	1.320
BSALONE06	1	6	3/4 GHT	x x	

### Extension Water Hose

Part No.	Inner Diameter (Inch)	Length (Feet)	Fittings (Inch)	Package Dimensions L x W x H (Inch)	Package Weight (Pounds)
BSAL3410	3/4	10	3/4 GHT	3.50 x 11.50 x 11.50	2.490
BSAL3415	3/4	15	3/4 GHT	4.00 x 12.00 x 12.00	3.500
BSAL5810	5/8	10	3/4 GHT	3.00 x 11.00 x 11.00	1.960
BSAL5815	5/8	15	3/4 GHT	4.00 x 11.00 x 11.00	2.690
BSALONE10	1	10	3/4 GHT	3.00 x 14.00 x 14.00	3.650
BSALONE15	1	15	3/4 GHT	4.00 x 14.00 x 14.00	5.170

### General Purpose Water hose

Part No.	Inner Diameter (Inch)	Length (Feet)	Fittings (Inch)	Package Dimensions L x W x H (Inch)	Package Weight (Pounds)
BSAL34100	3/4	100	3/4 GHT	7.00 x 15.00 x 15.00	21.800
BSAL3425	3/4	25	3/4 GHT	4.50 x 12.00 x 12.00	5.390
BSAL3450	3/4	50	3/4 GHT	4.50 x 14.50 x 14.50	10.900
BSAL3475	3/4	75	3/4 GHT	7.00 x 14.00 x 14.00	16.200
BSAL58100	5/8	100	3/4 GHT	7.00 x 14.50 x 14.50	13.600
BSAL5825	5/8	25	3/4 GHT	3.75 x 10.00 x 10.00	3.950
BSAL5875	5/8	75	3/4 GHT	4.75 x 14.50 x 14.50	10.700
BSAL5850	5/8	50	3/4 GHT	4.20 x 12.00 x 12.00	7.140
BSALONE100	1	100	3/4 GHT	10.00 x 21.00 x 21.00	33.960
BSALONE50	1	25	3/4 GHT	8.00 x 16.00 x 16.00	17.400
BSALONE25	1	25	3/4 GHT	4.00 x 15.00 x 15.00	8.100

## Product Images



## Videos



**AG-Lite  
Water  
Hose**

### AG-lite Water Hose

September 19, 2017  
3:42



This PDF was downloaded from the following URL  
<https://www.rmxind.com/hose/ag-lite-rubber-water-hose/?&region=north-america>  
on Thursday, 21 November 2024

Scan QR Code on the right to access this URL in the browser.

